

3D TENDER

Semi-rigid, polyester hulls, aluminum hulls, removable floors, ultra-light tenders with high-pressure inflatable bottoms - over 100,000 boats delivered worldwide since the 3D TENDER brand was launched in 2007. Performance, comfort, durability and competitive prices have always been the core values of 3D TENDER.

3D TENDER's robust approach to design and manufacturing gives both pleasure and commercial boat owners the confidence to go further and face the conditions that many others avoid.

The 3D TENDER range offers you an incomparable choice of models with exceptional quality/price ratios on the market!

ENVIRONMENT

We pay great attention to environmental issues in the production of the 3D Tender boats. We make sure to use non-polluting, energy-efficient processes that respect the health of employees and users. The choice of raw materials is crucial, since it enables us to build boats that are not only highly resistant, but also close to nature.

LIGHT WEIGHT

Aluminum hulls provide boats with strength and an unbeatable weight advantage. These boats can therefore be powered by small engines, which are less expensive, more fuel-efficient and reduce CO2 emissions.

ALUMINIUM

Aluminium is one of the few materials that can be recycled indefinitely without losing its qualities and properties.

POWDER COATING

3D Tender has chosen to use powder coatings. These powders are electrically charged and are sprayed onto the prepared surfaces before being dried in an oven. The finish is impeccable, and the painted surfaces are smooth and glossy.

Powder coatings offer considerable advantages over conventional liquid paints:

- No volatile organic compounds
- No solvents (no risk of fire, pollution, etc.)
- No pollution, as excess powder is easily collected by suction

Curing times and temperatures have been significantly improved to reduce process energy consumption.

CONTENTS (**/

Set sail with a 3D TENDER

PATROL	04	FEDERLIGHT	48
DREAM	12	T33	50
XPRO	20	DREAM 340	52
TR54 NEW PACK	26	TWIN AIR	54
COACHBOAT IQ	28	ROUND AIR	56
ODYSSEY	30	TWIN VIB AIR	58
NIVIDIC	32	TWIN V-SHAPE	60
RESCUE	36	TWIN HYPALON	62
XPRO RIB ALU	38	TWIN FASTCAT	64
HEAVY DUTY	40	WORLD TRAVEL	66
POLAR	42	PILOT	68
SURF RESCUE	44	ACCESSORIES	74
ULTIMATE	46		



Hypalon foam tube punc- ture-proof	77 045 € Inc. to
Hypalon Reinforced	47 145 € Inc. to
Hypalon	39 795 € Inc. t
Full tank	300 L (500L in option
Design category	
Engine shaft	Simple XX Twin X
Maximum power	500 H
Maximum load weight	2836 k
Passengers	2
Tube inflation pressure	0.25 ba
Weight	1080 k
Air chambers	
Tube diameter	55 cr
Dead rise transom	27
Depth	1.40 r
Interior lenght	1.82 r
Width	2.92 r
Interior lenght	7.40 r
Full lenght	8.60 r



EQUIPMENT

STANDARD

EPDM bow roller Bow locker below deck Anchor locker 300L tank Non-skid deck U EPDM tube protection Bow protection band Double safe -line Handles Cone reinforcement Retractable cleat Inflator

REINFORCED

Tube protection 500l fuel tank EVA deck coating Reinforced lifting and towing rings

OPTION

Console XL (CO5) Console PATROL (C10) Console Cabin Patrol (C14) Closing Cab Patrol (A10) Seat Bolster XL (S02) Triple XL Patrol Bench (B04) Triple XL bench seat Patrol (B05) Double Roll Bar Patrol (R10) T-Top(T02) Jockey seats Towing mast with balcony (A11) Tube ladder (A12) 500 L fuel tank

Dimensional and weight tolerances ±10%



The PATROL 760 is an «on demand» RIB for all sailing programs.

The boat offers excellent maneuverability and stability on the water and the high-performance hull gives it an exceptional passage at sea.

Like it's big brother the boat is fully modular, you can choose to position all the optional equipment (Console, Bolster Seat, Bench...) wherever you want. This modularity makes it possible to meet the needs of both professionals (firefighters, coastquards) and individuals (Pleaseure and fishing).

This boat is available in PVC Melher or in HYPALON ORCA® fabric from the Belgian company, Pennel and Flipo.

The PATROL 760 is available in a 12-passenger NUC-certified commercial version, and is available in division 222.

SPECIFICATIONS

Full lenaht

Hypalon foam tube punc- ture-proof	71 540 € Inc. t
Hypalon Reinforced	44 640 € Inc. t
Hypalon Black	34 545 € Inc. 1
Fuel tank	300 L (500L in option
Design category	
Engine shaft	Simple XX Twin X
Maximum power	300 H
Maximum load weight	2836 k
Passengers	1
Tube inflation pressure	0.25 ba
Weight	900 k
Air chambers	
Tube diameter	55 cr
Dead rise transom	27
Depth	1.40 ı
Interior width	1.82 ı
Width	2.92 i
Interior lenght	6.40 i
i dii leligiit	7.001



EQUIPMENT

STANDARD

EPDM bow roller
Bow locker below deck
Anchor locker
300L tank
Non-skid deck
U EPDM tube protection
Bow protection band
Double safe -line
Handles
Cone reinforcement
Retractable cleat
Inflator

REINFORCED

Tube protection 500l fuel tank EVA deck coating Reinforced lifting and towing rings

OPTION

Console XL (C05)
Console PATROL (C10)
Console Cabin Patrol (C14)
Closing Cab Patrol (A10)
Seat Bolster XL (S02)
Triple XL Patrol Bench (B04)
Triple XL bench seat Patrol (B05)
Double Roll Bar Patrol (R10)
T-Top (T02)
Jockey seats
Towing mast with balcony (A11)
Tube ladder (A12)
500 L fuel tank

Dimensional and weight tolerances ±10%

In tropical climates, the use of 3D TENDER PVC boats is excluded from the warranty. Prices and specifications are subject to change without notice.

7.60 m



Hypalon reinforced	31 188 € Inc. t
Hypalon	25 505 € Inc. t
PVC	19 310 € Inc. t
Fuel tank	150
Design category	
Engine shaft	Simple X
Maximum power	200 H
Maximum load weight	2836 k
Passengers	1
Tube inflation pressure	0.25 ba
Weight	700 k
Air chambers	
Tube diameter	52 ci
Dead rise transom	23
Depth	1.40 ı
Interior width	1.50 ו
Width	2.68
Interior lenght	5.30
Full lenght	6.70 ו



EQUIPMENT

STANDARD

Inflator

EPDM bow roller
Forward locker below deck
Anchor locker
150 L tank
Anti-skid deck
Double anti-skid strip
Bow protection strip
Double grips
Carrying handles
Cone reinforcement
Retractable cleat
Self-bailing boat

OPTION

Console XL (C05)
Console PATROL (C10)
Seat Bolster XL (S02)
Triple XL Patrol Bench (B04)
Triple XL bench seat Patrol (B05)
Double Roll Bar Patrol (R10)
T-Top (T02)
Jockey seats
Towing mast with balcony (A11)
Tube ladder (A12)

REINFORCED

Tube protection
200L fuel tank
EVA deck coating

Dimensional and weight tolerances ±10%



	650	600	560	550	530
Full lenght	6.50 m	6.00 m	5.60 m	5.50 m	5.30 m
Interior lenght	5.40 m	4.20 m	4.20 m	4.30 m	4.00 m
Width	2.50 m	2.40 m	2.13 m	2.40 m	2.13 m
Interior width	1.36 m	1.30 m	1.20 m	1.20 m	1.20 m
Depth	1.30 m				
Dead rise transom	24 °	24 °	24°	24 °	24 °
Tube diameter	57 cm	57 cm	49 cm	57 cm	49 cm
Air chambers	6	5	5	6	5
Weight	450 kg	350 kg	280 kg	250 kg	230 kg
Pression Tube inflation pressure	0.25 bar				
Passengers	15	13	10	11	9
Maxiumum power	150 HP	140 HP	100 HP	115 HP	90 HP
Engine shaft	Simple L				
Design category	С	С	С	С	С
Fuel tank	100 L	100 L	60 L	100 L	60 L
Console PATROL / Siège Bolster	XL	XL	L	L	L
PVC Black / Grey	16 790€ Inc. tax	15 635€ Inc. tax	11 540€ Inc. tax	13 640€ Inc. tax	11 120€ Inc. tax
PVC Grey	16 790€ Inc. tax	15 635€ Inc. tax	11 540€ Inc. tax	13 640€ Inc. tax	11 120€ Inc. tax
Hypalon Black	20 465€ Inc. tax	19 205€ Inc. tax	15 215€ Inc. tax	16 580€ Inc. tax	14 060€ Inc. tax

Dimensional and weight tolerances ±10%.

In tropical climates, the use of 3D TENDER PVC boats is excluded from the warranty. Prices and specifications are subject to change without notice.

EQUIPMENT

STANDARD

PATROL console with storage and

Bolster seat with storage box and picnic table

Anchor locker

EPDM bow roller

Non-skid deck

Heavy duty double rubber band

Bow protection band

Safe-lines

Handles

Cone reinforcement

Retractable cleat

Inflator

. . .

Fuel tank

Transom ladder

OPTION (650/600)

Patrol Double Bench (B03)
Triple XL Patrol Bench (B04)
Roll Bar (R09)

T-Top (T02)

Tube ladder (A12)

Front locker under the deck

OPTION (560/550/530)

Single bench seat (B01)
Double bench seat (B02)
Roll Bar (R09)
T-Top (T01)



Black Hypalon Carbon	67 080 € Inc. t
White Hypalon Carbon	67 080 € Inc. t
Fuel tank	300
Design category	
Engine shaft	Simple X
Maxiumum power	350 H
Maximum load weight	1800 k
Passengers	1
Tube inflation pressure	0.25 ba
Weight	1180 k
Air chambers	
Tube diameter	63 cr
Depth	1.50 r
Interior width	2.40 r
Width	3.12 r
Interior lenght	7.40 r
Full lenght	8.45 r



EQUIPMENT

FULL OPTION

Black hull and self-draining deck

Flexi-Teak deck covering

300L tank with gauge

60L fresh water tank and shower

Console with storage locker

Triple-position helm seat with integrated kitchen and sink

T-top equipped with LED bar and solar panels

Extendable bimini with carbon supports

Rear saloon with picnic table convertible into sundeck

Rear locker

4 front storage lockers

Complete upholstery

Electric windlass

Rear platform with telescopic swim ladder and handrail

Automatic bilge pump

Circuit breaker, battery tray and switch panel

Compass

Navigation lights

30L electric cooler with 12V socket

Retractable cleats



Full lenght	6.55 m
Interior lenght	5.80 m
Width	2.70 m
Interior width	1.50 m
Depth	1.40 m
Dead rise transom	24 °
Tube diameter	58 cm
Air chambers	6
Weight	850 kg
Tube inflation pressure	0.25 bar
Passengers	12
Maximum load weight	1250 kg
Maxiumum power	200 HF
Engine shaft	Simple XL
Design category	C
Fuel tank	100 L
PVC White / Gelcoat Black	21 725 € Inc. tax
PVC Black / Gelcoat Black	21 725 € Inc. tax
Hypalon White / Gelcoat Black	25 190 € Inc. tax
Hypalon Black / Gelcoat Black	25 190 € Inc. tax
Limited edition Hypalon White / Gelcoat Black	26 890 € Inc. tax
Limited edition Hypalon Black / Gelcoat Black	26 890 € Inc. tax



EQUIPMENT

STANDARD

Pilot console

Driver's seat

Rear bench seat against molded 3 places

Self-bailing deck

- 1 1 11.

Forward sunbathing area

Bow roller

Fuel tank 100L

Picnic table

Front locker

Rear platform with black EVA an-

ti-skid coating

Anti-ragging strip

Double bow protection strip

Carrying handles

Inflator

OPTION FOR THE LI-MITED EDITION HYPA-LON BLACK & WHITE

Side steps

Shower with 40L tank

Black non-slip EVA deck



The tubes are available in heat-welded Valmex® PVC from the German company Melher or in HYPALON ORCA® fabric

SPECIFICATIONS

Full lenaht

Interior lenght	4.90 m
Width	2.45 m
Interior width	1.20 m
Depth	1.40 m
Dead rise transom	27°
Tube diameter	55 cm
Air chambers	5
Weight	500 kg
Tube inflation pressure	0.25 bar
Passengers	10
Maximum load weight	1250 kg
Maxiumum power	120 HP
Engine shaft	Long L
Design category	С
Fuel tank	80 L
PVC White / Gelcoat Black	20 990 € Inc. tax
PVC Black / Gelcoat Black	20 990 € Inc. tax
Hypalon White / Gelcoat Black	23 300 € Inc. tax
Hypalon Black / Gelcoat Black	23 300 € Inc. tax



EQUIPMENT

STANDARD

5.90 m

Tilting steering console with wraparound windshield

Bolster seat with storage box

3-seat rear bench seat and adjustable pilot seats

Bathing ladder

Sunbathing area

Black or grey synthetic deck with comfortable EVA floor

Integrated fuel tank (80 L)

Self-draining deck

Anchor locker

Rear swim platform

Spacious dashboard

Picnic table

Shower kit with electric pump + 40 liter tank

Dimensional and weight tolerances ±10%.



The **DREAM** range will make you discover all the sweetness of life at sea with an additional level of comfort. The best suited boats for cruises with friends and family. Combine comfort on board and space saving.

On the **DREAM** models, nothing has been left to chance, from the hull with its deep V specially designed to offer great maneuverability and an irreproachable comfort of navigation, to its outstanding standard equipment. Comfort comes in all sizes.

This boat is available in thermo-welded Valmex® PVC from the German company Melher or in HYPALON ORCA® fabric from the Belgian company Pennel et Flipo.

18

SPECIFICATIONS

	550	500	440
Full lenght	5.50 m	5.00 m	4.40 m
Interior lenght	4.50 m	4.00 m	4.50 m
Width	2.24 m	2.22 m	1.93 m
Interior width	1.10 m	1.00 m	1.00 m
Depth	1.30 m	1.20 m	1.20 m
Dead rise transom	24 °	24 °	24 °
Tube diameter	46/52 cm	46/52 cm	46/52 cm
Air chambers	5	5	3
Weight	350 kg	300 kg	280 kg
Pression Tube inflation pressure	0.25 bar	0.25 bar	0.25 bar
Passengers	9	8	7
Maxiumum power	90 HP	80 HP	60 HP
Engine shaft	Simple L	Simple L	Simple L
Design category	С	С	С
Fuel tank	50 L	50 L	40 L
PVC White / Gelcoat Black	14 585€ Inc. tax	13 325€ Inc. tax	10 910€ Inc. tax
Hypalon White / Gelcoat Black	17 000€ Inc. tax	15 740€ Inc. tax	13 325€ Inc. tax

EQUIPMENT

STANDARD

DREAM 550 / 500 / 440

Self-draining deck Sunbathing area Bow roller

Console

Fuel tank 100L

Picnic table

Bowl locker

Shower with 40L

Non skid black EVA PAD

Double Heavy duty rubbing strake

Bow protection

Handles

Pump

All standard equipments
Bolster that can be adjusted to a sitting or standing position



Hypalon Grey	14 690 € Inc. to
PVC Grey	11 540 € Inc. to
PVC Black	11 540 € Inc. to
Design category	(
Engine shaft	Simple
Maxiumum power	120 HI
Maximum load weight	1400 k
Passengers	1
Tube inflation pressure	0.25 ba
Weight	400k
Air chambers	
Tube diameter	57 cr
Depth	1.10 n
Interior width	1.33 n
Width	2.52 r
Interior lenght	4.70 r
Full lenght	5.89 r



EQUIPMENT

STANDARD

XPro Steering Console with Storage
Box and Attached Seat
Bolster XPro seat with storage box
Bow roller
Front locker
Anti-skid deck
Double anti-skid strip
Bow protection strip
Integral winter cover
Double grips

Inflator, oars & repair kit

OPTION

Double bench seat (B02)
Double bench seat (B03)
Double bench seat (B04)
Roll bar seat (R13)
Tube ladder (A12)



Hypalon Grey	10 490 € Inc. tax
PVC Grey	7 970 € Inc. tax
PVC Black	7 970 € Inc. tax
Design category	C
Engine shaft	Simple L
Maxiumum power	75 HP
Maximum load weight	1350 kg
Passengers	10
Tube inflation pressure	0.25 bar
Weight	178kg
Air chambers	6
Tube diameter	52 cm
Depth	1.10 m
Interior width	1.00 m
Width	2.12 m
Interior lenght	3.70 m
Full lenght	5.35 m



EQUIPMENT

STANDARD

Steering Console with Storage and seat

Bolster seat with storage

Bow roller

Front locker

Anti-skid deck

Double anti-skid strip

Bow protection strip

Integral winter cover

Double grips

Inflator, oars & repair kit

OPTION

Double bench seat (B01)
Double bench seat (B02)
Double bench seat (B06)
Roll bar seat (R12)
Roll bar seat (R13)
Tube ladder (A12)



The **XPRO** range is the best seller of the 3D Tender brand, these boats are fast, stable and maneuverable and have proven their efficiency over time. It is the best quality/price ratio on the market!

The XPRO is available in several sizes from 4.45 meters to 5.89 meters, this semi-rigid boat is ideal for fishing and small family cruises.

It is a fully modular range, and can be fitted out according to your desires and needs. The pilot seat, the console and the accessories can be placed wherever you want!

The tubes are available in PVC Valmex® thermo-welded from the German company Melher or in HYPALON ORCA® fabric from the company Pennel et Flipo.

24



SPECIFICATIONS

	490	445
Full lenght	4.90 m	4.45 m
Interior lenght	3.35 m	3.03 m
Width	2.08 m	2.08 m
Interior width	1.00 m	1.00 m
Depth	1.00 m	1.00 m
Dead rise transom	24°	24°
Tube diameter	52 cm	52 cm
Air chambers	6	6
Weight	178 kg	178 kg
Tube inflation pressure	0.25 bar	0.25 bar
Passengers	7	7
Maximum load weight	880 kg	800 kg
Maxiumum power	60 HP	50 HP
Engine shaft	Simple L	Simple L
Design category	С	С
PVC Black / Grey	6 710 € Inc. tax	6 080 € Inc. tax
PVC Grey	6 710 € Inc. tax	6 080 € Inc. tax
Hypalon Grey	9 230 € Inc. tax	8 600 € Inc. tax



EQUIPMENT

STANDARD

Pilot console
Seat with storage box
Bow roller
Forward locker
Anti-skid deck
Double anti-skid strip
Bow protection strip
Pump, oars & repair kit
Full winter cover
Double grips

OPTION

Double bench seat (B01)
Double bench seat (B02)
Double bench seat (B06)
Roll bar seat (R12)
Roll bar seat (R13)
Tube ladder (A12)



I FIRST PACK

- SUZUKI DF60ATL Black
- Teleflex steering
- · Plastic fuel tank
- Bilge pump
- · Pilot console

PVC

Bolster seat

- Navigation lights
- Bow protection strip

14 990 €inc. vat

- 60L fuel tank with gauge
 Rige nump
 - Bilge pump
 - Pilot console
 - Bolster seat with picnic table

I PREMIUM PACK

SUZUKI DF60ATL Black

Seafirst hydraulic steering

- Navigation lights
- Bow protection strip
- Sun deck
- Fusion audio pack

PVC 16 490 €^{inc. vat}
Hypalon 18 990 €^{inc. vat}

SPECIFICATIONS

Full lenght

puncture-proof	27 490 € Inc. tax
Hypalon foam tube	27 / 00 C inc tax
Hypalon	12 590 € Inc. tax
PVC	9 990 € Inc. tax
Fuel tank	60L (only premium pack)
Design category	С
Engine shaft	Simple L
Maxiumum power	75 HP
Maximum load weight	1350 kg
Passengers	10
Tube inflation pressure	0.25 bar
Weight	250 kg
Air chambers	5
Tube diameter	52 cm
Dead rise transom	21°
Deph	1.20 m
Interior width	0.90 m
Width	2.12 m
Interior lenght	3.80 m





EQUIPEMENT

STANDARD

Bolster Seat
Pilot Console
Non-skid deck
Heavy duty double rubber band

OPTION

Bench
Roll bar seat
Front sun deck
Fusion audio pack
Garmin GPS

Dimensional and weight tolerances ±10%.



106	IQ
6.00 m	5.15
5.00 m	4.15 ו
2.30 m	2.30 i
1.40 m	1.30 ı
1.30 m	1.30 ו
23 °	23
50 cm	50 cr
5	
350 kg	300 k
0.25 bar	0.25 ba
6	
1280 kg	680k
100 HP	80 H
Simple L	Simple
С	
100 L	60
11 220€ Inc. tax	9 960€ Inc. t
16 800€ Inc. tax	14 500€ Inc. t
	6.00 m 5.00 m 2.30 m 1.40 m 1.30 m 23 ° 50 cm 5 350 kg 0.25 bar 6 1280 kg 100 HP Simple L C 100 L



EQUIPEMENT

106 STANDARD

100 litre stainless steel tank
Skin protection tube
Automatic bilge pump
Front locker under deck
Anti-chafing strip
Self-draining deck
Non-slip deck
Anchor locker
Bow protection strip
Safe-line
Reinforced bow protection with
towing ring

105 STANDARD

60 litre stainless steel tank
Skin protection tube
Automatic bilge pump
Front locker under deck
Anti-chafing strip
Self-draining deck
Non-slip deck
Anchor locker
Bow protection strip
Safe-line
Reinforced bow protection with
towing ring

OPTION

Light-colored tubes available on request
Console (C22)
Jockey seat (J02)
Suspension seat (J04)

Dimensional and weight tolerances ±10%



CARACTERISTIQUES

Full lenght	6.35 r
Interior lenght	5.50 r
Width	2.55 r
Interior width	1.60 r
Depth	1.20 r
Dead rise transom	25
Tube diameter	52 cr
Compartiments étanches	
Poids	770 k
Air chambers	0.25 ba
Passengers	1:
Maximum load weight	1250 k
Maximum power	200 H
Engine shaft	Simple X
Design category	1
Fuel tank	90
PVC White	27 840€ Inc. to
PVC Black	27 840€ Inc. to
Hypalon White	33 840€ Inc. to
Hypalon Black	33 840€ Inc. to



EQUIPEMENT

STANDARD

Bolster seat with handrail and dual steering position

Console with storage and bow seat
T-top with storage: rod holder.

T-top with storage: rod holder, LED light and Sunbrella cover for the sunbathing area

Aft sunbathing area 200 x 138 cm with folding seat

Front sunbathing area

90 L fuel tank with gauge

EVA coating

Shower tank with 60 L water

20 L drawer fridge

Aft access platform with EVA

Telescopic ladder and handrail

Wet/dry storage

Picnic table

Front locker

Anchor platform
Hydraulic steering
Bilge pump and shower pump
Keel protection
Protective strip for floats
Self-draining deck

Dimensional and weight tolerances ±10%



Width	2.40 r
Interior width	1.32 r
Depth	1.17 r
Dead rise transom	27
Tube diameter	52 cr
Air chambers	
Weight	400 k
Tube inflation pressure	0.25 ba
Passengers	1
Maximum load weight	1350 k
Maxiumum power	100 H
Engine shaft	Simple
Design category	
Fuel tank	50
PVC Black / Grey Hull	13 485 € Inc. to
PVC White / White Hull	13 485 € Inc. to
Hypalon Black / Grey Hull	16 380 € Inc. to
Hypalon White / White Hull	16 380 € Inc. to



EQUIPMENT

STANDARD

Pilot console with locker and front

Bolster seat with storage

Triple rear bench seat with storage hox

≈ 50L fuel tank

Black EVA non-slip coating

Roll-bar ski

Bilge pump

Hydraulic steering

Anchor locker

Bow roller

Anti-ragging protection strip

Bow protection

Carrying handles

Reinforced aluminum towing ring

Lifting rings x 4

Safe-lines

Non-slip tube reinforcement

OPTION

Boat cover

Cover for the steering console

Cover for the bolster seat

Cover for the back seat

Inflatable sunbathing area

Tube ladder

Dimensional and weight tolerances ±10%



The NIVIDIC is a robust and light aluminium RIB that will give you unforgettable moments at sea. The deep V hull and hull design provide excellent, seaworthiness and confidence in the most challenging conditions.

The NIVIDIC is equipped with a black EVA anti-slip coating, tube reinforcement and a 65-litre tank to combine comfort and safety. The boat is equipped with a black, non-slip EVA coating and tube reinforcements for comfort and safety.

SPECIFICATIONS

	460	420	360
Full lenght	4.60 m	4.20 m	3.60 m
Interior lenght	3.62 m	3.18 m	2.59 m
Width	2.01 m	2.01 m	1.90 m
Interior width	1.05 m	1.05 m	1.00 m
Depth	1.10 m	1.10 m	1.10 m
Tube diameter	48 cm	48 cm	48 cm
Air chambers	6	6	6
Weight	170 kg	137 kg	85 kg
Tube inflation pressure	0.25 bar	0.25 bar	0.25 bar
Passengers	9	7	6
Maxiumum power	60 HP	50 HP	30 HP
Engine shaft	Simple L	Simple L	Simple L
Design category	С	С	С
Fuel tank	40 L	40 L	32 L
PVC Black / Grey Hull	6 390 € Inc. tax	6 190 € Inc. tax	4 390 € Inc. tax
PVC White / White Hull	6 390 € Inc. tax	6 190 € Inc. tax	4 390 € Inc. tax
Hypalon Black / Black Hull	8 890 € Inc. tax	8 490 € Inc. tax	5 690 € Inc. tax
Hypalon White / White Hull	8 890 € Inc. tax	8 490 € Inc. tax	5 690 € Inc. tax

EQUIPMENT

NIVIDIC 460

65L fuel tank Black EVA non-slip coating Anchor locker Bow roller Anti-ragging protection strip Bow protection Carrying handles Reinforced aluminum towing Lifting rings x 4 Safe-lines Non-slip tube reinforcement

+ PACK CONSOLE / SIÈGE OPTION (420) 2 800€ TTC

Pilot console with storage Bolster seat with storage

OPTION (460)

Triple rear bench seat with storage (BO8) Roll-bar with seat (R04) Roll-bar(R03)

NIVIDIC 420/360

Fuel tank (65L for 420, 32L for 360) Black EVA non-slip coating Anchor locker Bow roller Anti-ragging protection strip Bow protection Carrying handles Reinforced aluminum towing Lifting rings x 4 Safe-lines Non-slip tube reinforcement

Console with storage Bolster seat with storage Triple rear bench seat with storage (BO8) Roll-bar seat (R04) Roll-bar(R03)

OPTION (360)

Console with storage Bolster seat with storage Triple rear bench seat with storage (BO7) Roll-bar with seat (R02) Roll-bar (R01)



	430	370
Full lenght	4.30 m	3.70 m
Interior lenght	3.70 m	3.10 m
Width	1.87 m	1.56 m
Interior width	1.00 m	1.00 m
Depth	1.00 m	1.00 m
Tube diameter	50 cm	45 cm
Air chambers	4	3
Weight	126 kg	75 kg
Tube inflation pressure	0.25 bar	0.25 bar
Passengers	8	6
Maximum load weight	900 kg	800 kg
Maxiumum power	60 HP	25 HP
Engine shaft	Simple L	Simple S
Design category	С	С
PVC Orange	6 710 € Inc. tax	5 093 € Inc. tax
Hypalon Orange	9 125 € Inc. tax	7 655 € Inc. tax



EQUIPMENT

STANDARD

Reinforced aluminum hull

Double floor

100% self-bailing

Suitable location for the battery and

the power supply

Front trunk

Towing rings

EVA anti-skid deck

Ultra wide anti-skid strip

Jitra wide anti-skid strip

Bow protection strip

Lifting chainplates

Reinforced transom

Oars

Inflator and repair kit

OPTION

Towing mast (A08)



	420	415	390
Full lenght	4.20 m	4.15 m	3.90 m
Interior lenght	2.93 m	2.89 m	2.72 m
Width	1.87 m	1.87 m	1.86 m
Interior width	0.89 m	0.89 m	0.86 m
Depth	1.00 m	1.00 m	1.00 m
Tube diameter	50 cm	50 cm	45 cm
Air chambers	4	3	3
Weight	128 kg	89 kg	69 kg
Tube inflation pres- sure	0.25 bar	0.25 bar	0.25 bar
Passengers	8	8	7
Maxiumum power	60 HP	25 HP	25 HP
Engine shaft	Simple L	Simple L	Simple L
Design category	С	С	С
PVC Black	5 390€ Inc. tax	3 665€ Inc. tax	3 455€ Inc. tax
PVC Grey	5 390€ Inc. tax	3 665€ Inc. tax	3 455€ Inc. tax
Hypalon Grey	8 390€Inc. tax	6 080€Inc. tax	5 660€Inc. tax



EQUIPMENT

STANDARD

Anti-corrosion treatment of the aluminum hull Marine powder paint

Bow roller

Lifting and towing chainplates integrated to the $\mbox{\sc hull}$

UV-resistant marine EVA pad coating

Ultra wide anti-drag strip

Bow guard

Double grips

Aluminum bench on slide rail

Pump, oars and repair kit



EQUIPMENT

Glued or heat-sealed PVC fabric Bow roller Integral winter cover

2 adjustable benches (sliding on the length of the boat)

2 oars

2 transport bags

2 storage bags under the bench

Inflator Repair kit



SPECIFICATIONS

	550	500	460	420	380	360	320
Full lenght	5.50 m	5.00 m	4.60 m	4.20 m	3.80 m	3.60 m	3.20 m
Interior lenght	5.00 m	4.50 m	4.10 m	3.70 m	3.30 m	3.10 m	2.70 m
Width	2.08 m	1.93 m	1.90 m	1.90 m	1.70 m	1.68 m	1.51 m
Interior width	1.40 m	1.25 m	0.90 m	0.82 m	0.75 m	0.70 m	0.68 m
Depth	0.70 cm						
Air chambers	5	5	5	4	4	4	4
Weight	130 kg	118 kg	98 kg	88 kg	78 kg	68 kg	56 kg
Tube inflation pressure	0.25 bar						
Passengers	10	9	8	7	6	5	5
Maximum load weight	1300 kg	1200 kg	1 100 kg	1 087 kg	727 kg	689 kg	566 kg
Maximum power	45 HP	45 HP	40 HP	30 HP	20 HP	20 HP	15 HP
Engine shaft	Simple L						
Design category	С	С	С	С	С	С	С
PVC Black	3 980€ Inc. tax	3 665€ Inc. tax	3 035€ Inc. tax	2 615€ Inc. tax	2 405€ Inc. tax	2 300€ Inc. tax	2 090€ Inc. tax



	470	580
Full lenght	4.70 m	5.85 m
Interior lenght	3.60 m	4.30 m
Width	1.90 m	2.48 m
Interior width	1.00 m	1.20 m
Depth	0.90 m	1.20 m
Tube diameter	55 cm	64 cm
Air chambers	5	5
Weight	115 kg	225 kg
Tube inflation pres- sure	0.25 bar	0.25 bar
Passengers	10	16
Maximum load weight	1450 kg	1300 kg
Maxiumum power	40 HP	90 HP
Engine shaft	Simple L	Simple L
Design category	С	С
PVC	3 947 € Inc. tax	7 200 € Inc. tax
Hypalon	7 894 € Inc. tax	11 760 € Inc. tax



EQUIPMENT

47

Two oars

Transport bag

Two storage bags under the bench

EVA lining

Inflatable keel

Aluminum reinforcement on the transom

Inflator

Repair kit

- ..

Evacuation sock

Pressure relief valve

Lifting rings

580

Double front aluminum storage box

Tube reinforcements

Two oars

Transport bag

Two storage bags under the bench

EVA linina

Side and central inflatable keel

Aluminum reinforcement on the

transom

Inflator

Repair kit

Evacuation sock

- . . .

Pressure relief valve

Lifting rings

Dimensional and weight tolerances ±10%



Hypalon Red	7 218 € Inc. to
PVC Red	3 950 € Inc. to
Design category	(
Engine shaft	Simple
Maxiumum power	40 H
Maximum load weight	727 k
Passengers	
Gonflage plancher	0.80 ba
Tube inflation pressure	0.25 ba
Weight	70 k
Air chambers	
Tube diameter	45 cr
Depth	0.76 r
Interior width	0.80 r
Width	1.70 r
Interior lenght	2.70 r
Full lenght	4.00 r



EQUIPMENT

STANDARD

2 oars

Transport bag

Inflator

Repair kit

Safe-line and front grab

Carrying handle

Front storage cover



	360	340	320	300	280	260	240	STA
Full lenght	3.60 m	3.40 m	3.20 m	3.00 m	2.80 m	2.60 m	2.40 m	Alur sior
Interior lenght	2.67 m	2.51 m	2.33 m	2.16 m	1.98 m	1.80 m	1.61 m	Dou
Width	1.70 m	1.54 m	Mar Fou					
Interior width	0.80 m	0.76 m	Non dec					
Depth	0.90 m	Tub						
Tube diameter	45 cm	39 cm	Bow Alur					
Air chambers	6	6	6	6	6	6	6	Infla
Weight	67 kg	57 kg	50 kg	48 kg	44 bar	42 kg	38 kg	Oar Buil
Tube inflation pressure	0.25 bar	360						
Passengers	6	6	5	5	4	4	3	_
Maximum load weight	650 kg	550 kg	500 kg	450 kg	400 kg	350 kg	300 kg	All s Dou
Maximum power	25 HP	20 HP	20 HP	15 HP	15 HP	10 HP	8 HP	281
Engine shaft	Simple S							
Catégorie conception	С	С	С	С	С	С	С	All s Fro
Fuel tank	35 L	21 L	. OP					
PVC Grey	3 455€ Inc. tax	3 140€ Inc. tax	2 930€ Inc. tax	2 825€ Inc. tax	2 720€ Inc. tax	2 510€ Inc. tax	2 405€ Inc. tax	(36
PVC Grey + Grey cover	4 085€ Inc. tax	3 770€ Inc. tax	3 455€ Inc. tax	3 350€ Inc. tax	3 140€ Inc. tax	2 930€ Inc. tax	2 825€ Inc. tax	Con
Hypalon Grey	5 030€ Inc. tax	4 190€ Inc. tax	3 665€ Inc. tax	3 560€ Inc. tax	3 350€ Inc. tax	3 245€ Inc. tax	3 140€ Inc. tax	CON
Hypalon Grey + Grey cover	5 660€ Inc. tax	4 715€ Inc. tax	4 190€ Inc. tax	4 085€ Inc. tax	3 875€ Inc. tax	3 665€ Inc. tax	3 560€ Inc. tax	

EQUIPMENT

STANDARD

minum hull with anti-corrotreatment uble aluminum floor rine grey powder paint ur lifting rings integrated n-skid Eva pads on the entire be protection band w protection strip minum bench on rail ilt-in fuel tank 0/340/320/300

standard equipments

uble front storage box

0/260/240

standard equipments nt storage box

PTION

60/340/320/300/280)

nsole (C11 / C12)



	365	335	315	285	265	245	STA
Full lenght	3.65 m	3.35 m	3.10 m	2.85 m	2.65 m	2.45 m	Front ting fo
Interior lenght	2.80 m	2.60 m	2.40 m	2.10 m	1.90 m	1.67 m	fuel ta
Width	1.64 m	1.64 m	1.64 m	1.55 m	1.55 m	1.55 m	Oars Oarloo
Interior width	0.80 m	for du Fuel h					
Depth	0.75 m	Tube					
Dead rise transom	15 °	14 °	14.5 °	16 °	15 °	10 °	Non-s Comp
Tube diameter	44 cm	44 cm	44 cm	42 cm	42 cm	42 cm	Stora
Air chambers	3	3	3	3	3	3	4 carr 4 rein
Weight	49 kg	44 kg	39 kg	36 kg	32 kg	29 kg	4 liftir
Tube inflation pressure	0.25 bar	4 docl					
Passengers	6	5	5	4	4	3	3DTE
Maximum load weight	750 kg	700 kg	550 kg	500 kg	450 kg	350 kg	Repai
Maxiumum power	20 HP	20 HP	15 HP	8 HP	8 HP	6 HP	Pump 3DTEI
Engine shaft	Simple S	335					
Design category	С	С	С	С	С	С	Front
PVC Grey	3 140€ Inc. tax	2 510€ Inc. tax	2 300€ Inc. tax	2 090€ Inc. tax	1 985€ Inc. tax	1 880€ Inc. tax	TTOTIC
PVC White	3 140€ Inc. tax	2 510€ Inc. tax	2 300€ Inc. tax	2 090€ Inc. tax	1 985€ Inc. tax	1 880€ Inc. tax	
PVC White + Black cover sunbrella	3 770€ Inc. tax	3 035€ Inc. tax	2 825€ Inc. tax	2 573€ Inc. tax	2 436€ Inc. tax	2 300€ Inc. tax	Dimensi toleranc
Hypalon Grey	4 190€ Inc. tax	3 560€ Inc. tax	3 350€ Inc. tax	3 035€ Inc. tax	2 825€ Inc. tax	2 510€ Inc. tax	In tropica PVC boar
Hypalon White	4 190€ Inc. tax	3 560€ Inc. tax	3 350€ Inc. tax	3 035€ Inc. tax	2 825€ Inc. tax	2 510€ Inc. tax	Prices ar change v
Hypalon White + Black cover sunbrella	4 820€ Inc. tax	4 085€ Inc. tax	3 875€ Inc. tax	3 518€ Inc. tax	3 276€ Inc. tax	2 930€ Inc. tax	

EQUIPMENT

STANDARD

nt platform with grip coafor the fuel tank tank straps ock and oar attachments dual arrangement I hose mounting clips e protection strip -slip deck coating nposite bench rage bag under bench rrying handles inforced aluminum ring ting aluminum rings ckina rinas nforced towing ring ENDER aluminum plate engine mounting ENDER accessories bag

ront locker

Dimensional and weight colerances ±10%.



CARACTERISTIQUES

T33	330
Full lenght	3.35 n
Interior lenght	2.40 n
Width	1.87 n
Interior width	1.10 n
Depth	0.80 n
Dead rise transom	12
Tube diameter	44 cn
Air chambers	
Weight	160 k
Tube inflation pressure	0.25 ba
Passengers	1
Maximum load weight	700 k
Maxiumum power	30 HI
Engine shaft	Simple
Design category	(
Hypalon	7 590€ Inc. to



EQUIPEMENT

STANDARD

Console and pilot seat

Complete upholstery

Double aluminum floor with EVA coating

Integrated lifting rings in the hull

Bench with foldable backrest

Side platform for easy access

Removable side cushion for seating and safe stepping on the tender

Rear mast

25L fuel tank

Storage compartments

otorage compartment

Rubbing strake

Bow protection strip

Inflator

OPTION

Ladder Boat cover



A fully equipped dinghy!

The DREAM 340 is a semi-rigid dinghy with all the necessary comfort for your sea trips. With a length of 3.40 meters, the DREAM 340 model is sold in Pack. The DREAM 340 pack includes the console for piloting the boat designed with an adjoining seat and a rear bench seat with 2 places. Under each seat you will find, for your comfort, an integrated storage box. The dinghy is also equipped with an aluminum double floor, a 21-liter fuel tank and additional storage space in the bow. The double floor of the DREAM 340 allows water to drain from the bottom of the hull. Its flat deck is covered with a non-slip EVA foam.

The DREAM 340 is built with an aluminum hull, guaranteeing the longevity of your boat. The high strength marine grade aluminum is powder coated and heated at high temperatures to ensure a smooth, durable and environmentally friendly finish. Its bow protection and ultra-wide chafe strip give you peace of mind when docking. The pronounced V-shape of its hull provides stability and exceptional passage in the waves.

SPECIFICATIONS

Full lenght	3.40 m
Interior lenght	2.60 m
Width	2.14 m
Interior width	1.10 m
Depth	0.85 m
Dead rise transom	24 °
Tube diameter	45 cm
Air chambers	5
Weight	160 kg
Tube inflation pressure	0.25 bar
Passengers	5
Maximum load weight	500 kg
Maxiumum power	30 HP
Engine shaft	Simple S
Design category	C
Fuel tank	25 L
PVC Grey	5 555€ Inc. tax
PVC Grey / Grey cover	6 080€ Inc. tax
Hypalon Grey	7 235€ Inc. tax
Hypalon Grey / Grey cover	7 760€ Inc. tax



EQUIPMENT

STANDARD

Double aluminum floor

Pilot console with seat and storage

Double rear bench with storage box

Front trunk

Lifting ring

Anti-skid Eva deck coating

Tube protection band

Bow protection strip

Inflator

Built-in 25L fuel tank under the deck





3D Tender has developed the **SUPERLIGHT TWIN AIR** range in order to meet the demands of boaters. Inflatable, foldable, compact, the Twin Air is the lightest tender on the market. Its light weight and small size will make your life easier on board. It can be easily stored in its backpack.

The **TWIN AIR** is designed with a high-pressure inflatable Drop Stitch honeycomb floor, providing great stability on board. The one-piece, non-removable floor is glued directly to the boat structure. Its conical tubes provide maximum buoyancy. It is equipped with 4 stainless steel lifting rings for use on davits or other.

The 3D Tender team has selected for this product, the best PVC fabric on the market made in Germany by the brand Mehler. This fabric called Valmex^o has been tested under different sailing conditions and has met our brand's requirements in terms of quality and durability.

Like all folding dinghies in the 3D Tender range, the **TWIN AIR** is equipped with an adjustable aluminum bench, a pair of oars, an inflator and a carry bag.



SPECIFICATIONS

	290	270	250	230	200	180	160	
Full lenght	2.90 m	2.70 m	2.50 m	2.30 m	2.00 m	1.80 m	2.00 m	
Interior lenght	2.34 m	2.15 m	1.95 m	1.77 m	1.45 m	1.26 m	1.06 m	
Width	1.36 m	1.35 m	1.35 m	1.34 m	1.31 m	1.29 m	1.29 m	
Interior width	0.67 m	0.67 m	0.67 m	0.66 m	0.63 m	0.62 m	0.61 m	
Tube diameter	34-40 cm	34-40 cm	34-40 cm	32-36 cm	32-35 cm	32-35 cm	30 cm	
Air chambers	3+1	3+1	3+1	2+1	2+1	2+1	2+1	
Weight	16.9 kg	15.8 kg	14.5 kg	13.8 kg	11.9 kg	10.8 kg	9.6 kg	
Floor inflation pressure	0.80 bar	0.80 bar	0.80 bar	0.80 bar	0.80 bar	0.80 bar	0.80 bar	
Pression tube	0.25 bar	0.25 bar	0.25 bar	0.25 bar	0.25 bar	0.25 bar	0.25 bar	
Passengers	4	4	3	2	2	2	1	
Maximum load weight	510 kg	484 kg	450 kg	350 kg	250 kg	200 kg	180 kg	
Maximum power	8 HP	6 HP	6 HP	4 HP	2.5 HP	2.5 HP	2.5 HP	
Engine shaft	Simple S	Simple S	Simple S	Simple S	Simple S	Simple S	Simple S	
Bag dimensions	98x48x28cm	98x48x28cm	90x48x28cm	90x45x28cm	90x45x28cm	90x45x28cm	90x45x-	
PVC White	1 250€ Inc. tax	1 208€ Inc. tax	1 040€ Inc. tax	935€ Inc. tax	893€ Inc. tax	830€ Inc. tax	788€ Inc. tax	
PVC Black	1 250€ Inc. tax	1 208€ Inc. tax	1 040€ Inc. tax	935€ Inc. tax	893€ Inc. tax	830€ Inc. tax	788€ Inc. tax	

EQUIPMENT

STANDARD

PVC Valmex® Mehler tube
High pressure honeycomb floor
Adjustable aluminum bench on
slide
Grips
Inflator
Repair kit
Oars
Transport backpack





Dimensional and weight tolerances ±10%



	250	235	200	180	160
Full lenght	2.50 m	2.35 m	2.00 m	1.80 m	1.60 m
Interior lenght	1.78 m	1.63 m	1.34 m	1.23 m	1.03 m
Width	1.33 m	1.33 m	1.14 m	1.01 m	1.00 m
Interior width	0.61 m	0.61 m	0.48 m	0.44 m	0.43 m
Tube diameter	36 cm	36 cm	33 cm	28.5 cm	28.5 cm
Air chambers	2	2	2	2	2
Weight	12.2 kg	11.8 kg	9.2 kg	7 kg	6.5 kg
Floor inflation	0.80 bar				
Pression tube	0.25 bar				
Passengers	3	2	2	2	1
Maximum load	400 kg	350 kg	250 kg	200 kg	180 kg
Maximum power	2.5 HP	2.5 HP	2.5 HP	-	-
Engine shaft	Simple S				
Bag dimensions	70x45x32cm	70x45x32cm	70x45x30cm	70x45x27cm	70x45x26cm
PVC Black	998€ Inc. tax	935€ Inc. tax	893€ Inc. tax	788€ Inc. tax	725€ Inc. tax
PVC White	998€ Inc. tax	935€ Inc. tax	893€ Inc. tax	788€ Inc. tax	725€ Inc. tax

EQUIPMENT

STANDARD

PVC Valmex® Mehler tube
High pressure honeycomb floor
Modular motor support
Adjustable aluminum bench on slide
Grips
Inflator
Repair kit
Oars
Transport backpack







	330	300	280	250	210
Full lenght	3.30 m	3.00 m	2.80 m	2.50 m	2.10 m
Interior lenght	2.16 m	1.85 m	1.83 m	1.55 m	1.40 m
Width	1.53 m	1.53 m	1.53 m	1.50 m	1.31 m
Interior width	0.68 m	0.68 m	0.68 m	0.68 m	0.60 m
Tube diameter	42 cm	42 cm	42 cm	42 cm	36 cm
Air chambers	3+1	3+1	3+1	2+1	2+1
Weight	34 kg	29 kg	25 kg	22 kg	19 kg
Floor inflation pressure	0.80 bar	0.80 bar	0.80 bar	0.80 bar	0.80 bar
Pression tube	0.25 bar	0.25 bar	0.25 bar	0.25 bar	0.25 bar
Passengers	4	4	4	3	2
Max. load weight	566 kg	510 kg	500 kg	450 kg	250 kg
Maximum power	15 HP	10 HP	8 HP	6 HP	3.5 HP
Engine shaft	Simple S	Simple S	Simple S	Simple S	Simple S
Bag dimensions	90x45x40cm	90x45x35cm	90x45x32cm	90x45x30cm	90x45x28cm
PVC Black	1775€ Inc. tax	1 418€ Inc. tax	1 313€ Inc. tax	1 208€ Inc. tax	1 040€ Inc. tax.

EOUIPMENT

STANDARD

PVC Valmex® Mehler tube
High pressure honeycomb floor
2 neoprene tube covers, velcro fastened
(one black and one white)
Adjustable aluminium bench on slide rail
Davits
3 carrying handles
Ultra wide drag strip
Grips
Inflator
Repair kit
Oars
Transport backback



Dimensional and weight tolerances ±10%



	290	270	250	230	200	180	160	STANDARD
Full lenght	2.90 m	2.70 m	2.50 m	2.30 m	2.00 m	1.80 m	2.00 m	PVC Valmex® Mehle
Interior lenght	2.34 m	2.15 m	1.95 m	1.77 m	1.45 m	1.26 m	1.06 m	High pressure hone Adjustable aluming
Width	1.36 m	1.35 m	1.35 m	1.34 m	1.31 m	1.29 m	1.29 m	slide Grips
Interior width	0.67 m	0.67 m	0.67 m	0.66 m	0.63 m	0.62 m	0.61 m	Inflator Repair kit
Tube diameter	34-40 cm	34-40 cm	34-40 cm	32-36 cm	32-35 cm	32-35 cm	30 cm	Oars Transport backpac
Air chambers	3	3	3	3	3	2	2	Transport backpac
Weight	20.3 kg	18.9 kg	17.4 kg	16.6 kg	14.3 kg	12.9 kg	11.5 kg	and I
Floor inflation pressure	0.80 bar	0.80 bar	0.80 bar	0.80 bar	0.80 bar	0.80 bar	0.80 bar	- GOTEDOEN
Pression tube	0.25 bar	0.25 bar	0.25 bar	0.25 bar	0.25 bar	0.25 bar	0.25 bar	
Passengers	4	4	3	2	2	2	1	
Maximum load weight	510 kg	484 kg	450 kg	350 kg	250 kg	200 kg	180 kg	To the second
Maximum power	8 HP	6 HP	6 HP	4 HP	4 HP	2.5 HP	2.5 HP	
Engine shaft	Simple S	Simple S	Simple S	Simple S	Simple S	Simple S	Simple S	
Bag dimensions	98x48 x28cm	98x48 x28cm	98x48 x28cm	98x45 x28cm	98x45 x28cm	90x45 x28cm	90x48 x26cm	D THOSE
PVC Grey / Black	1 355€ Inc. tax	1 313€ Inc. tax	1 208€ Inc. tax	1 040€ Inc. tax	998€ Inc. tax	935€ Inc. tax	893€ Inc. tax	
PVC Grey / White	1 355€ Inc. tax	1 313€ Inc. tax	1 208€ Inc. tax	1 040€ Inc. tax	998€ Inc. tax	935€ Inc. tax	893€ Inc. tax	

EQUIPMENT

/C Valmex® Mehler tube gh pressure honeycomb floor diustable aluminum bench on







Hypalon Grey	2 615€ Inc. tax	2 510€ Inc. tax	2 363€ Inc. tax	2 258€ Inc. tax
Bag dimensions	98x48x38cm	98x48x38cm	98x48x38cm	98x45x38cm
Engine shaft	Simple S	Simple S	Simple S	Simple S
Maximum power	10 HP	8 HP	6 HP	4 HP
Maximum load weight	510 kg	484 kg	450 kg	350 kg
Passengers	4	4	3	2
Tube inflation pressure	0.25 bar	0.25 bar	0.25 bar	0.25 bar
Floor inflation pressure	0.80 bar	0.80 bar	0.80 bar	0.80 bar
Weight	23.4 kg	22.3 kg	21 kg	20.3 kg
Air chambers	3	3	3	3
Tube diameter	34-40 cm	34-40 cm	34-40 cm	34-40 cm
Interior width	0.67 m	0.67 m	0.67 m	0.67 m
Width	1.36 m	1.35 m	1.35 m	1.34 m
Interior lenght	2.34 m	2.15 m	1.95 m	1.77 m
Full lenght	2.9 m	2.70 m	2.50 m	2.30 m
	290	270	250	230

EQUIPMENT

STANDARD

Hypalon Orca® fabric
High pressure honeycomb floor
Adjustable aluminum bench on slide
Grips
Inflator
Repair kit
Oars
Transport backpack







63



	FAST 330	FAST 300	FAST 280	FAST 260	FAST 230	FAST 200
Full lenght	3.30 m	3.00 m	2.80 m	2.60 m	2.30 m	2.00 m
Interior lenght	2.61 m	2.33 m	2.13 m	1.90 m	1.60 m	1.32 m
Width	1.72 m	1.66 m	1.66 m	1.58 m	1.53 m	1.48 m
Interior width	0.74 m	0.70 m	0.70 m	0.65 m	0.65 m	0.63 m
Tube diameter	44 cm	44 cm	42 cm	42 cm	42 cm	42 cm
Air chambers	3	3	3	3	3	3
Weight	34 kg	31 kg	27 kg	25 kg	21 kg	18 kg
Floor inflation pressure	0.80 bar					
Pression tube	0.25 bar					
Passengers	4	4	4	3	2	2
Maximum load weight	566 kg	510 kg	484 kg	450 kg	350 kg	250 kg
Maximum power	15 HP	10 HP	6 HP	6 HP	4 HP	4 HP
Engine shaft	Simple S					
Bag dimensions	99x65x45cm	99x65x40cm	99x60x40cm	99x55x35cm	99x55x35cm	99x55x35cm
PVC Olive / White	1 418€ Inc. tax	1 313€ Inc. tax	1 250€ Inc. tax	1 208€ Inc. tax	1 154€ Inc. tax	1 040€ Inc. tax
PVC Black / Light Grey	1 418€ Inc. tax	1 313€ Inc. tax	1 250€ Inc. tax	1 208€ Inc. tax	1 154€ Inc. tax	1 040€ Inc. tax
PVC Orange / White	1 418€ Inc. tax	1 313€ Inc. tax	1 250€ Inc. tax	1 208€ Inc. tax	1 154€ Inc. tax	1 040€ Inc. tax
PVC Grey / Light Grey	1 418€ Inc. tax	1 313€ Inc. tax	1 250€ Inc. tax	1 208€ Inc. tax	1 154€ Inc. tax	1 040€ Inc. tax
PVC Pink / White	1 418€ Inc. tax	1 313€ Inc. tax	1 250€ Inc. tax	1 208€ Inc. tax	1 154€ Inc. tax	1 040€ Inc. tax

Dimensional and weight tolerances ±10%

In tropical climates, the use of 3D TENDER PVC boats is excluded from the warranty. Prices and specifications are subject to change without notice.

EQUIPMENT

STANDARD

PVC Valmex® Mehler tube
High pressure drop stitch floor
Adjustable aluminium bench on
slide rail
4 stainless steel lifting points
Oars
Inflator
Repair kit
Transport backpack





	WORLD 235	WORLD 200
Full lenght	2.35 m	2.00 m
Interior lenght	1.83 m	1.47 m
Width	1.31 m	1.31 m
Interior width	0.60 m	0.60 m
Tube diameter	37-22 cm	37-22 cm
Air chambers	2	2
Weight	21 kg	21 kg
Floor inflation pressure	0.25 bar	0.25 bar
Passengers	3	3
Maximum load weight	350 kg	350 kg
Maximum power	4 HP	2.5 HP
Engine shaft	Simple S	Simple S
Bag dimensions	98x49x35cm	98x49x35cm
PVC Grey	472€ Inc. tax	440€ Inc. tax
PVC Black	472€ Inc. tax	440€ Inc. tax



STANDARD

PVC Valmex® Mehler tube Slatted floor Adjustable aluminium bench on slide Oars Transport backpack







The E-Pilot 420 is a port service boat from the 3D Tender brand, and is an electric alternative. The E-Pilot 420 is the specialist in helping boats of all sizes to maneuver in the port. Its compact line and low draft allow it to maneuver in the most difficult to access areas. It has a rounded bow, called a "marotte", which allows it to perform its function as a pusher boat. Its flat bottom, its good width/length ratio and the design of its hull, give it excellent stability and maneuverability at sea.

The boat is extremely robust with its 5mm thick H5083 Aluminum hull and a dense 3mm internal structure. Its 20 cm PU reinforcement present all around its hull, provides maximum protection in the event of contact, without marking the boats. The structural plans have been validated by the Bureau Veritas classification company.

68



Pack E-Pilot	65 030€ TTC
Fuel tank	60 L
Design category	D
Engine shaft	Simple L
Maximum power	60 HP
Maximum load weight	650 kg
Passengers	4
Weight	450 kg
Air chambers	6
Protection diameter	20 cm
Depth	0.86 m
Interior width	1.00 m
Width	2.30 m
Interior lenght	4.00 m
Full lenght	4.20 m

Protection color: Black or White



EQUIPEMENT

PILOT 420 STANDARD

Grev aluminium hull

Two towing masts directly linked to the structure of the boat Pilot console Pilot seat with storage box Non-slip and self-draining EVA deck 20 cm PU protection Two access platforms at the rear Self-draining deck 2 storage boxes at the front 2 access steps to the front platform Work platform at the bow of the boat Double access hatch Towing ring at the bow

4 cleats Anchor locker

Battery switch

PACK PILOT + DIVISION 222 + TOROEEDO 12,0 RL

All standard equipment (above) Division 222 approval Professional navigation card TOROEEDO 12.0 RL engine equivalent to 25hp Recessed console control Hydraulic steering Automatic bilge pump Dual battery Charger



Full lenght	4.20 m
Interior lenght	4.00 m
Width	2.30 m
Interior width	1.00 m
Depth	0.86 m
Protection diameter	20 cm
Air chambers	6
Weight	450 kg
Passengers	4
Maximum load weight	650 kg
Maximum power	60 HP
Engine shaft	Simple L
Design category	D
Fuel tank	60L
Pilot	21 588€ Inc. tax
Pack Pilot	37 788€ Inc. tax

Protection color : Black or White



EQUIPMENT

PILOT 420 STANDARD

Grey aluminium hull
Two towing masts directly linked to the structure of the boat
Pilot console
Pilot seat with storage box
Non-slip and self-draining EVA deck
20 cm PU protection
Two access platforms at the rear
Self-draining deck
2 storage boxes at the front
2 access steps to the front platform
Work platform at the bow of the boat
Double access hatch
Towing ring at the bow

4 cleats Anchor locker

PILOT PACK + DIVISION 222 + SUZUKI DF 50

All standard equipment (above)
Division 222 approval
Professional navigation chart
SUZUKI DF 50 engine
Recessed console control
MO 100 hydraulic steering
Automatic bilge pump
Battery switch



Pilot Pack	56 990€ Inc. tax
Pilot	31 037€ Inc. tax
Full Tank	90 L
Design category	С
Engine shaft	Simple L
Maximum power	140 HP
Maximum load weight	800 kg
Passengers	8
Weight	700 kg
Protection diameter	15 cm
Depth	1.20 m
Interior width	2.00 m
Width	2.30 m
Interior lenght	5.45 m
Full lenght	5.60 m

Protection color: Black or White



EQUIPMENT

PILOT 560 STANDARD

Grey aluminum hull treated against corrosion

Two towing masts directly linked to the structure of the boat

Pilot console with storage box and adjoining seat

Pilot seat with storage boxes

Non-slip EVA deck

15 cm PU protection

Two access platforms at the rear

Self-draining deck

2 storage boxes at the front

2 storage boxes at the rear with seats

2 access steps to the front platform

Work platform at the bow of the boat

Towing ring at the bow 6 cleats Anchor locker

PILOT PACK + DIVISION 222 + SUZUKI DF 100

All standard equipment Homologation Division 222 Professional Navigation Card

SUZUKI DF100engine

Hydraulic steering MO 150

Battery switch and pre-filter gaso-

Sea trial with Ship Safety Center Preparation, assembly and registration of the boat

Dimensional and weight tolerances ±10%

ACCESSORIES

BOLSTER SEAT

ACCESSORIES



BOLSTER SEAT L - S01 LENGHT 38 CM WIDTH 70 CM HEIGHT 75 CM SEAT 73 CM PRICE 1355€*

40 CM

95 CM

75 CM

78 CM

1670€*








BOLSTER PILOT - S04 LENGHT 35 CM WIDTH 45 CM HEIGHT 105 CM SEAT 70 CM PRICE 1565€*



BOLSTER PILOT - S05 LENGHT 34 CM WIDTH 67 CM HEIGHT 75 CM SEAT 52 CM PRICE 1248€*







BOLSTER PILOT - S07 LENGHT 35 CM WIDTH 35CM 63 CM HEIGHT SFAT 35CM PRICE 1032€*



56 CM WIDTH HEIGHT 75 CM 56 CM SEAT PRICE 1284€*

BOLSTER PILOT - S08

38 CM

LENGHT

JOCKEY SEAT



JOCKEY SIMPLE - J01 LENGHT 53 CM WIDTH 35 CM HEIGHT 96 CM SEAT 57 CM PRICE 830€*



JOCKEY PILOT - J02 LENGHT 69 CM WIDTH 33 CM HEIGHT 96 CM SEAT 68 CM PRICE 935€*

	JOCKEY WINGS	S-J03
	LENGHT	96 CM
	WIDTH	33 CM
	HEIGHT	93 CM
	SEAT	57 CM
	PRICE	1049 €*



BENCHES

SIMPLE	BENCH B01	
	LENGHT	50 CM
	WIDTH	80 CM
	HEIGHT	90 CM
	SEAT	45 CM
	PRICE	829€*

DOUBLE BENCH XPRO - B02		
	LENGHT	50 CM
	WIDTH	90 CM
	HEIGHT	90 CM
	SEAT	45 CM
	PRICE	1040€*



TRIPLE BENC	H PATROL XXL - B04	÷
	LENGHT	45 CM
	WIDTH	119 CM
20	HEIGHT	80 CM
	SEAT	45 CM
	PRICE	1469€*

TRIPLE BENCI	H PATROL XXL -	B05
	LENGHT	50 CM
	WIDTH	130 CM
E.	HEIGHT	90 CM
	SEAT	60 CM
	PRICE	1670€*



ALU BENC	H TRIPLE - B09	
	LENGHT	50 CM
_\	WIDTH	123 CM
	HEIGHT	90 CM
	SEAT	50 CM
	PRICE	1134€*





CONSOLES













ALL PRICE INCLUDE VAT

Price and specifications may change without notice. Price and specifications may change without notice. **ACCESSORIES ACCESSORIES**

7664€*

CONSOLE JOCKEY L - C07



CONSOLE PATROL - C10 45 CM LENGHT WIDTH 82 CM 148 CM HEIGHT SEAT PRICE 1889€*

CABIN PATROL - C14 LENGHT 160 CM WIDTH 130 CM HEIGHT 200 CM SEAT

PRICE

CONSOLE BLACK MILITARY - C23 ROLL BAR NIVIDIC 420/460 - R03 48 CM LENGHT WIDTH 94 CM HEIGHT 130 CM SEAT 4 416€* PRICE



CONSOLE JOCKEY XL - C08





CONSOLE	(PRO 445 / 490 - 0	C15
	LENGHT	50 CM
	WIDTH	54 CM
No.	HEIGHT	132 CM
V	SEAT	-
	PRICE	1176€*



CONSOLE NIVIDIC 460 / PILOT 420 - C20

LENGHT

HEIGHT

SEAT

PRICE

70 CM

70 CM


170 CM

1956€*




















79

ALL PRICE INCLUDE VAT

ALL PRICE INCLUDE VAT

Price and specifications may change without notice. Price and specifications may change without notice. **ACCESSORIES ACCESSORIES**

ROLL BAR BIMINI DREAM655 - RO8



40 CM 138 CM 180 CM STAINLESS STEEL 3 245€*

ROLL-BAR DOUBLE PATROL - R09



PATROL ENGINE PROTECTION - R10



engine protection 160 CM 130 CM 2 940€*



ROLLBAR LADDER - R11 + engine protection + ladder 160 CM HFIGHT 130 CM ALUMINUM 3720€*



ROLL-BAR XPRO 445/490/535 - R12		
	LENGHT	35 CM
17	WIDTH	100 CM
H H	HEIGHT	140 CM
7/ ./	ALUMINUM	
E.	PRICE	892€*

ROLL BAR XPRO SEAT - R13 LENGHT 80 CM WIDTH 100 CM HEIGHT 140 CM SEAT 45 CM PRICE 1145€*



T-TOP ((420/550) - T01	
DA	LENGHT	160 CM
$\Gamma / \overline{0}$	WIDTH	115 CM
A	HEIGHT	200 CM
	ALUMINUM	
1 1	PRICE	1 418€*

T-TOP (600/860) - T02 LENGHT 160 CM WIDTH 130 CM HEIGHT 200 CM ALUMINUM PRICE 1523€*


















ALL PRICE INCLUDE VAT

ALL PRICE INCLUDE VAT

Price and specifications may change without notice. Price and specifications may change without notice. **ACCESSORIES ACCESSORIES**

ROD HOLDER SIMPLE - A01-1 A01-2



ROD HOLDER 9 ROD - A13 LENGHT 0.25 CM WIDTH 100 CM HEIGHT ALUMINUM PRICE 490€*

TUBE LADDER - A12			
	LENGHT	50 CM	
	WIDTH	35 CM	
	HEIGHT	154 CM	
	FOR PVC BOAT ONL	Υ.	
	PRICE	241€*	

LAUCHING WHEELS - A05 LENGHT



SEAFIRST 100 90HP 90CH max

PRICE

HYDRAULIC STEERING

ROD HOLDER DOUBLE - A02



COVERS NIV	IDIC - A19.1.2.3.4.5.6	
	BOLSTER	192€*
	CONSOLE	259€*
	BENCH	213€*
	BOAT	797€*
	FULL PACK	1300€*

Tenoen	,

	LIFE JACKET AUTO - A17	
	LENGHT	60 CM
	WIDTH	35 CM
7	PRICE	54€*




ACCESSORIES FOR TENDER

AC BAG FOLDABLE TENDER

≥ 250

66€*

80€*





ROD HOLDER 5 ROD - A03













567€*

THE 3D TENDER SPIRIT

3D Tender is now present in 14 countries in Europe and beyond. A achievement made possible not only by 17 years of experience and expertise, but also by close collaboration with our dealers, who have placed their trust in us.

By putting all our efforts into producing top-quality boat models, we've been able to put together the most diverse product range on the market, while offering competitive prices to guarantee a sailing experience for all.

A company rooted in its Breton origins, it's our passion for the sea that drives us to innovate, thanks to a team of specialists

We are now number 1 in sales of RIBs and tenders in France, a position we owe to the proximity between ourselves and 3D Tender enthusiasts, whether it's to advise you or to come to your help at the slightest swell that might disrupt your navigation.

We are also grateful for the trust that other sea and sailing enthusiasts place in our products, which we will continue to design with passion and innovation.



